

温泉用フジパイプ #7000 価格表(設計積算価格)

富士化工株式会社 2020年2月1日改定REV.3

単位：円

品種	保温パイプ		パイプ P	ソケット TS	コアリング CR	ソケット付フランジ SF	バンド 90°	22.5° 45°	T字管 T	ニップル NPL	フレキシブル FL ()はB.N,SUS製 新旧フジパイプ共通	ブラインドフランジ BF	10°TS 5°TS	SUSフランジ JIS10K SUS304
	二重保温管	スチロール30mm ()は40mm厚 スチロール+防水材 +PVC仕上												
形状														
25 H	-	21,670 (23,460)	12,650	970	1,360	6,600	5,830	3,410	7,590	1,010	10,230 (12,140)	7,260	2,390	3,720
40 H	34,680	24,800 (26,690)	14,630	1,060	1,650	7,150	6,710	4,730	9,680	1,010	10,560 (13,040)	7,810	2,750	4,680
50 H	38,560	28,040 (29,540)	16,500	1,080	1,750	7,700	7,700	5,280	12,320	1,150	12,100 (14,720)	8,470	2,750	5,120
65 H	42,570	30,890 (33,390)	17,820	1,270	1,760	8,910	8,580	6,930	14,960	1,320	12,650 (15,220)	9,790	3,190	7,250
75 H	47,170	33,680 (36,000)	19,030	1,600	2,860	10,120	10,890	8,360	19,800	1,530	14,080 (19,330)	11,110	4,070	7,920
100 H	60,800	44,150 (47,590)	26,730	3,190	2,970	12,210	15,510	11,220	25,520	2,220	19,800 (28,100)	13,420	7,700	9,760
125 H	88,590	59,440 (64,600)	38,830	4,950	4,400	15,510	19,580	23,210	40,480	3,190	24,090 (35,770)	17,050	12,210	13,500
150 H	110,350	81,310 (96,190)	55,990	7,260	6,050	19,910	26,620	28,710	47,190	4,620	30,360 (42,940)	19,910	18,150	16,640
200 H	155,970	118,330 (140,310)	84,370	12,320	8,910	26,180	67,100	47,630	108,790	9,020	50,270 (73,880)	26,180	30,690	20,880
250 H	-	217,830	127,160	20,900	16,280	35,750	96,470	63,140	132,000	14,300	60,170 (85,750)	38,500	52,250	30,450

品種	片ネジNPL NTN	SUS特殊ニップル S-NPL
形状		 ※SUS304
25 H	1,250	9,630
40 H	1,250	15,400
50 H	1,430	21,180
65 H	1,670	28,880
75 H	1,910	38,500
100 H	2,860	57,750
125 H	3,850	-

接着剤 FBA-02		ガラステープ GT	
 セット同梱品 ・触媒 ・促進剤 ・充填剤		 (Cガラス)	
1kgセット	3,240	50W×150m	16,500
5kgセット	13,740	75W×150m	20,630
15kgセット	33,960	100W×150m	24,750
-	-	160W×150m	37,130
-	-	-	-

注記



- 1) パイプは定尺3mです。
- 2) 消費税は含んでおりません。

テーパカッター (リース品) 1日当り				継手用保温材
手動		電動		
		 50~125A 100~200A (100V) 200~350A (200V)		 別途お問い合わせ下さい。
25~50A用	720	50~125A	4,000	
50~100A用	900	100~200A	4,150	
100~150A用	1,140	200~350A	4,970	
150~200A用	1,900	-	-	
200~250A用	2,240	-	-	

賃貸借条件

- 1) ご返却後に清算となります。※施工後速やかにご返却下さい。
- 2) 発送・ご返却時の運賃はご利用者負担となります。

温泉用フジパイプ#7000(異型管) 価格表(設計積算価格)

異型T字管(RT)					レジャーサー(RE)					
										
呼 径		T字管 RT Hタイプ	呼 径		T字管 RT Hタイプ	レジャーサー RE Hタイプ				
40 ×	25	8,910	150 ×	25	31,130	40 ×	25	6,600		
	25	9,020		40	31,350	50 ×	25	6,930		
50 ×	40	10,120		50	31,570		40	6,930		
	25	9,790		65 ×	65	33,770	25	7,260		
40	10,670	75			38,500	40	7,260			
50	12,100	100			43,120	50	7,370			
75 ×	25	10,230		125	125	48,840	75 ×	40	7,810	
	40	11,220			25	52,910		50	7,810	
	50	12,540		40	54,560	65		7,920		
	65	16,060		50	54,560	100 ×	40	9,460		
100 ×	25	15,950	200 ×	65	54,560		50	9,680		
	40	16,170		75	54,560		65	10,340		
	50	16,610		100	62,810		75	11,550		
	65	17,710		125	72,710	125 ×	50	15,070		
75	21,010	150		84,590	65		12,320			
125 ×	25	22,770		250 ×	25		82,610	75	13,420	
	40	24,090	40		82,610	100	12,980			
	50	26,510	50		82,610	150 ×	65	24,310		
	65	32,120	65		82,610		75	25,080		
	75	36,410	75		82,610		100	18,920		
	100	39,490	100		92,510		125	15,180		
150 ×	125	107,360	125		107,360	200 ×	100	43,010		
	150	117,260	150		117,260		125	46,310		
	200	141,900	200		141,900	150	38,720			
	200 ×	100	92,510		250 ×	100	92,510	250 ×	100	57,860
		125	107,360			125	107,360		125	59,510
		150	117,260			150	117,260		150	72,710
200		141,900	200	141,900		200	60,390			

1. 消費税は含んでおりません。

温泉用フジパイプ #7000特殊継手 価格表(設計積算価格)

富士化工株式会社
2018年10月1日改定

単位：円

品種	互換ソケット TS	互換ニップル NPL	ブラインドソケット BS	エキスパンションジョイント EX	
	#7000×1000	#7000×1000		CR仕様	SF仕様
形状				※()ストッパー付	
25 H	1,460	1,010	2,910	-	-
40 H	1,590	1,010	3,170	-	-
50 H	1,620	1,150	3,240	67,060 (135,590)	67,610
65 H	1,910	1,320	3,800	76,210 (187,840)	74,500
75 H	2,400	1,530	4,790	86,980 (189,700)	84,180
100 H	4,790	2,220	9,570	102,100 (207,570)	99,190
125 H	7,430	3,190	14,850	135,080 (265,160)	127,650
150 H	10,890	4,620	21,780	161,770 (328,770)	152,920
200 H	18,480	9,020	36,960	218,170 (405,270)	206,870
250 H	31,350	14,300	62,700	315,680 (559,300)	287,690

注記

- 1) 消費税は含んでおりません。

温泉用フジパイプ #7100 価格表(設計積算価格)

富士化工株式会社 2020年2月1日改定Rev.1

単位：円

品種	保温パイプ		パイプ P	ソケット TS	コアリング CR	ソケット付フランジ SF	バンド 90°	22.5° 45°	T字管 T	ニップル NPL	ブラインドフランジ BF	10°TS 5°TS	SUSフランジ JIS10K
	二重保温管	耐熱スチロール30mm ()は40mm厚 耐熱スチロール+ 防水材+PVC仕上											
形状	 ウレタン発砲 +PE外筒管	 ()は40mm厚 耐熱スチロール+ 防水材+PVC仕上											 SUS304
25 H	-	26,200 (28,710)	15,180	1,160	1,620	7,920	6,930	4,070	9,130	1,190	8,690	要相談	3,720
40 H	37,650	30,240 (33,900)	17,600	1,290	2,000	8,580	8,030	5,720	11,550	1,190	9,460		4,680
50 H	41,860	33,520 (37,400)	19,800	1,300	2,110	9,240	9,240	6,270	14,850	1,370	10,120		5,120
65 H	46,090	37,130 (42,070)	21,340	1,500	2,120	10,670	10,230	8,250	17,930	1,600	11,770		7,250
75 H	50,800	40,330 (44,850)	22,660	1,930	3,410	12,210	12,980	10,120	23,760	1,820	13,310		7,920
100 H	66,190	53,400 (58,980)	32,120	3,740	3,520	14,740	18,700	13,420	30,580	2,640	16,170		9,760
125 H	96,400	68,340 (79,730)	46,640	5,940	5,280	18,700	23,540	27,830	48,620	3,740	20,460		13,500
150 H	121,570	98,670 (113,670)	67,210	8,800	7,260	23,870	31,900	34,430	56,650	5,500	23,870		16,640
200 H	172,690	143,200 (161,170)	101,090	14,740	10,670	31,460	80,410	57,090	130,570	10,780	31,350		20,880
250 H	-	-	152,570	25,080	19,470	42,900	115,830	75,790	158,400	17,160	46,200		30,450

品種	接着剤 FBA-30		ガラステープ GT	
	形状	 セット同梱品 ・触媒 ・促進剤 ・充填剤	 (Cガラス)	50W×150m
	1kgセット	3,940	75W×150m	20,630
	5kgセット	16,710	100W×150m	24,750
	15kgセット	41,330	160W×150m	37,130
	-	-	-	-
	-	-	-	-

テーパカッター (リース品) 1日当り				継手用保温材
手動		電動		
			50~125A 100~200A (100V) 200~350A (200V)	 別途お問い合わせ下さい。
25~50A用	720	50~125A	4,000	
50~100A用	900	100~200A	4,150	
100~150A用	1,140	200~350A	4,970	
150~200A用	1,900	-	-	
200~250A用	2,240	-	-	



注記

- 1) パイプは定尺3mです。
- 2) 消費税は含んでおりません。

貸借条件

- 1) ご返却後に清算となります。※施工後速やかにご返却下さい。
- 2) 発送・ご返却時の運賃はご利用者負担となります。

温泉用フジパイプ #7100(異型管) 価格表(設計積算価格)







異型T字管(RT)					レジャーサー(RE)				
									
呼 径		T字管 RT Hタイプ	呼 径		T字管 RT Hタイプ	レジャーサー RE Hタイプ			
40 ×	25	10,670	150 ×	25	37,290	40 ×	25	7,810	
	25	10,780		40	37,620	50 ×	25	8,250	
50 ×	40	12,210		50	37,840		40	8,250	
	25	11,770		65 ×	65	40,480	25	8,690	
40	12,760	75			46,200	40	8,690		
50	14,520	100			51,810	50	9,020		
75 ×	25	12,210		200 ×	125	58,630	75 ×	40	9,350
	40	13,530			25	63,470		50	9,350
	50	15,070			40	65,450		65	9,460
100 ×	65	19,250			50	65,450	100 ×	40	11,330
	25	19,140	65		65,450	50		11,660	
	40	19,470	75		65,450	65		12,430	
	50	19,910	100		75,350	75	13,860		
125 ×	65	21,230	250 ×		125	87,230	125 ×	50	18,040
	75	25,190			150	101,420		65	14,740
	25	27,390			25	99,110		75	16,170
	40	28,930		40	99,110	100	15,510		
	50	31,790		50	99,110	150 ×	65	29,260	
65	38,500	65		99,110	75		30,030		
75	43,670	75		99,110	100		22,660		
100	47,300	100		111,100	125	18,260	200 ×	100	51,590
		125		128,700	150	46,530		125	55,550
		150		140,800	200	170,500		150	46,530
		200	170,500	250 ×	100	69,410	250 ×	100	69,410
					125	71,390		125	71,390
					150	87,230		150	87,230
					200	170,500		200	72,380

1. 消費税は含んでおりません。

温泉用フジFWパイプ 価格表(設計積算価格)

富士化工株式会社 2020年2月1日改定Rev.1

単位：円



呼径	保温付パイプ		パイプ	ソケット	コアリング	ソケット付フランジ	バンド	45°マイター	22.5°マイター	チーズ	ニップル
	二重保温管	30mmスチロール	P	TS	CR	SF	90°	45°	22.5°	T	NPL
	定尺3m  ウレタン発砲 +PE外筒管	定尺3m  スチロール+防水材 +PVC仕上	定尺3m  ()は6m				 ※350以上はマイター			 ※350以上はマイター	
25	-	24,860	15,840	1,400	1,900	5,170	7,150	4,180	4,180	10,890	1,140
40	37,210	27,330	17,160	1,670	2,340	5,940	8,250	4,840	4,840	14,300	1,310
50	38,340	27,820	16,280 (32,560)	2,110	2,530	6,270	8,800	5,830	5,830	19,690	1,400
65	42,790	31,110	18,040 (36,080)	2,530	2,750	7,920	10,120	7,700	7,700	24,090	1,580
75	49,920	36,430	21,780 (43,560)	2,860	4,290	8,910	11,660	9,240	9,240	26,950	2,120
100	59,260	42,610	25,190 (50,380)	3,410	7,700	11,110	14,300	10,230	10,230	31,680	2,640
125	85,180	56,030	35,420 (70,840)	5,500	8,360	15,400	17,820	17,600	17,600	40,700	3,740
150	96,050	67,010	41,690 (83,380)	7,260	10,450	17,270	26,840	21,670	21,670	50,160	5,390
200	136,390	98,750	64,790 (129,580)	13,860	15,730	25,740	44,440	34,870	33,990	72,490	9,240
250	-	181,420	90,750 (181,500)	23,540	29,370	38,610	67,540	49,830	48,180	101,420	13,970

品種	SUSフランジ JIS10K	接着剤 FBA-02	ガラステープ GT
形状	 SUS304	セット同梱品 ・触媒 ・促進剤 ・充填剤 	 (Cガラス)
25	3,720	1kgセット	3,240
40	4,680	5kgセット	13,740
50	5,120	15kgセット	33,960
65	7,250	-	-
75	7,920	-	-
100	9,760	注記	
125	13,500	1) パイプの定尺は3mです。※価格は全てHタイプとなります。	
150	18,610	2) 消費税は含んでおりません。	
200	23,320		
250	34,100		

温泉用フジFWパイプ(異型管) 価格表(設計積算価格)

富士化工株式会社 2018年10月1日改定

単位：円

異型T字管(RT)						レジャーサー(RE)											
																	
呼 径		異径T字管		呼 径		異径T字管		呼 径		レジャーサー		呼 径		レジャーサー			
		RT				RT				RE				RE			
		H				H				H				H			
40 ×	25	7,590		200 ×	100	33,990		40 ×	25	7,590		150 ×	100	19,800			
50 ×	25	8,140			125	41,360		50 ×	25	8,470			125	21,560			
	40	9,350			150	59,070			40	8,580			65	27,610			
65 ×	25	8,580		250 ×	125	50,490		65 ×	25	9,020		200 ×	75	29,260			
	40	9,680			150	66,770			40	9,130			100	30,030			
	50	11,110			200	86,130			50	9,350			125	32,340			
75 ×	25	9,350						75 ×	40	9,900		250 ×	150	34,650			
	40	10,560			50	10,120			65	10,450			65	42,680			
	50	11,770			65	10,450			75	10,450			75	44,440			
	65	14,850								100 ×	40		11,330		100	45,760	
100 ×	25	11,110						100 ×	50	11,770		250 ×	125	48,070			
	40	12,210			65	12,540			150	50,270			200	55,110			
	50	13,200			75	14,190											
	65	16,060			125 ×	40			13,970								
	75	18,590				50			14,630								
125 ×	50	18,590						125 ×	65	15,510							
	65	22,330			75	16,610											
	75	25,190			100	17,050											
	100	27,610			150 ×	40			17,270								
150 ×	75	26,840		50		17,490											
	100	29,260		65		18,370											
	125	34,540		75	19,470												

1. 消費税は含んでおりません。

温泉用フジPPパイプ 価格表 (設計積算価格)

富士化工株式会社 2020年1月1日

単位：円

品 種	パイプ (定尺4m)		ソケット		90°エルボ		90°ベンド		45°ベンド		22.5°ベンド		チーズ		コアリング			
	温泉用フジPPパイプ	分湯用保温付パイプ													付短管			
形状																		
接 合	電気融着		スリーブ溶着		スリーブ溶着	電気融着	スリーブ溶着	電気融着	全対応	電気融着	電気融着	全対応	電気融着	スリーブ溶着	電気融着	全対応		
呼 径	PP管	強化PP管	PP管	強化PP管	WS	EFS	ELB	EFL	スムース	マイター	EF-45	スムース	マイター	スムース	マイター	TEE	T	CRP
16	-	-	10,450	-	250	-	210	-	1,300	-	-	1,240	-	1,240	-	260	-	2,380
20	-	-	11,810	-	310	-	290	-	1,330	-	-	1,310	-	1,310	-	350	-	2,430
25	-	-	12,860	-	420	-	440	-	1,380	-	-	1,380	-	1,380	-	580	-	2,880
40	14,830	16,720		-	870	3,940	900	9,660	2,820	-	9,140	2,450	-	2,450	-	1,140	-	3,650
50	18,460	22,010		-	1,040	4,460	1,280	11,340	4,270	-	9,430	3,890	-	3,890	-	1,800	-	4,190
75	29,400	36,360		-	1,550	5,610	2,780	16,380	11,870	-	12,230	10,170	-	10,170	-	-	5,830	6,170
100	40,710	51,290	別途問い合わせ	-	2,390	6,110	5,160	22,050	19,100	-	14,870	18,330	-	18,330	-	-	7,850	7,700
125	46,940	-		-	-	9,520	-	-	-	16,640	-	-	9,800	-	7,970	-	11,630	9,570
150	65,400	-		-	-	11,030	-	-	-	20,300	-	-	14,400	-	11,520	-	18,710	11,900
200	101,150	-		-	-	15,040	-	-	-	34,180	-	-	20,940	-	18,330	-	32,230	15,600

※PP管：フジ・ポリレン-PPパイプ 強化PP管：フジGRPパイプ

品 種	CRP用	ハルソケット	品 種	径違いチーズ		レジャーサー			
	鉄フランジ			形状	形状	形状	形状	形状	
形状			形状		16~25A スリーブ溶着 40~200A 電気融着	形状			
接 合	全対応	スリーブ溶着	接 合	全対応			接合	スリーブ溶着	電気融着
呼 径	IF (SUS304)	VS	呼 径	T	呼 径	T	呼 径	RE	REP
16	8,550	190	20×16	1,290	75×50	3,820	20×16	470	-
20	10,000	350	25×16	1,380	100×16	5,040	25×16	970	-
25	11,390	460	25×20	1,540	100×20	5,230	25×20	540	-
40	12,730	800	40×16	1,660	100×25	5,270	40×20	1,310	-
50	14,100	1,050	40×20	1,700	100×40	5,710	40×25	990	-
75	19,320	-	40×25	1,760	100×50	5,930	50×25	1,350	-
100	20,820	-	50×16	1,920	100×75	6,870	50×40	1,210	9,310
125	39,590	-	50×20	1,950	125×75	8,760	75×40	3,390	-
150	42,890	-	50×25	2,040	125×100	10,170	75×50	3,270	12,230
200	46,180	-	50×40	2,540	150×100	13,470	100×50	4,330	18,340
			75×16	3,040	150×125	15,640	100×75	3,410	17,480
			75×20	3,100	200×125	24,740	125×75	-	24,220
			75×25	3,150	200×150	28,730	125×100	-	23,730
			75×40	3,300			150×75	-	33,350
							150×100	-	30,500
							150×125	-	27,370
							200×100	-	47,020
							200×125	-	42,400
							200×150	-	37,320

【特記】

- 1.消費税は別途申し受けます。
- 2.記載の無い品種・呼径についてご要望の場合は、別途ご相談ください。
- 3.ハンディウェルダークのリースは取り扱っておりません。

品 種	ハンディウェルダー	
	16~50A	16~100A
形状		
本体価格	141,380	263,340
呼 径	ヒーターフェイス	
16	19,690	
20	24,410	
25	26,340	
40	33,270	
50	38,810	
75	51,840	
100	66,530	

リース品			
固定治具		電気融着コントローラー	
呼径	1日	呼径	1日
40~100A 共通	1,050	40~200A 共通	3,150


【リース品について】

- 1.出荷、返却の運賃はお客様ご負担となります。
- 2.リース期間は出荷日~返却日までとします。
- 3.ご不明な点は、弊社営業所までご連絡下さい。

継手用保温材

別途お問い合わせ下さい

フジFW揚湯管 価格表 (設計積算価格)



懸垂荷重：MAX.1,030kg

懸垂長さ：MAX.300m

タイプ	呼 径	使用温度 (°C)	寸法					価格 (円/本)
			L (mm)	d (mm)	t (mm)	Ls (mm)	Ds (mm)	
A-80	50	0~80	6,000	50	4.5	130	73.5	99,440
	65			65	5.0	160	89.5	116,270
B-80	50			50	7.0	166	82.5	116,930
	65			65	7.5	233	100.5	136,840
A-60	50	0~60	6,000	50	4.5	130	73.5	62,810
	65			65	5.0	160	89.5	74,580
B-60	50			50	7.0	166	82.5	74,360
	65			65	7.5	233	100.5	88,330

- 1.消費税は別途申し受けます。
- 2.発注数量により別途輸送費がかかる場合があります。
- 3.小口便での輸送はできません。