

2024 年度 製品価格表

Product price list

温泉用

【設計積算価格表】




富士化工株式会社

<http://www.fujikako.co.jp>

温泉用フジパイプ # 7000 価格表(設計積算価格)

富士化工株式会社 2024年8月1日改定rev.0

単位：円

品種	保温パイプ		パイプ P	ソケット TS	コアリング CR	ソケット付フランジ SF	バンド 90°	22.5° 45°	T字管 T	ニップル NPL	フレキシブル FL	ブラインドフランジ BF	10°TS 5°TS	SUSフランジ JIS10K
	二重保温管	スチロール30mm ()は40mm厚												
形状	 保温材+PE外筒管	 保温筒+防水材 +外装材									 ()はB.N,SUS製 新旧フジパイプ共通			 SUS304
25 H	-	51,200 (58,000)	17,000	1,280	1,870	8,700	7,600	4,500	10,200	1,310	13,500 (15,300)	9,600	3,150	6,250
40 H	44,600	57,400 (60,400)	19,400	1,410	2,250	9,600	8,700	6,300	12,600	1,310	14,100 (16,500)	10,500	3,510	7,800
50 H	49,700	59,200 (63,100)	21,800	1,420	2,440	10,300	10,200	6,900	16,200	1,520	16,000 (18,700)	11,100	3,550	8,500
65 H	54,700	61,300 (65,400)	23,400	1,650	2,440	11,800	11,300	9,000	19,700	1,740	16,500 (19,200)	13,100	4,100	12,100
75 H	60,700	64,900 (91,400)	25,200	2,100	3,690	13,500	14,400	11,000	26,100	2,010	18,700 (24,600)	14,700	5,500	13,400
100 H	78,100	96,200 (102,600)	35,200	4,100	3,860	16,200	20,700	14,700	33,800	2,910	26,100 (35,500)	17,700	10,300	16,300
125 H	114,000	113,500 (128,500)	51,300	6,500	5,800	20,700	26,000	30,600	53,600	4,100	31,800 (45,400)	22,600	16,000	22,500
150 H	142,200	141,800 (157,000)	73,500	9,900	8,000	26,400	35,100	37,800	62,400	6,200	40,200 (54,400)	26,100	23,700	27,800
200 H	201,000	194,300 (239,800)	111,000	16,200	11,800	34,400	88,500	62,800	141,000	12,000	66,400 (93,700)	34,400	40,500	34,800
250 H	-	276,600 -	165,000	27,600	21,500	47,400	127,000	83,200	172,000	18,900	79,500 (108,000)	51,000	69,100	51,000

品種	片ネジNPL NTN	SUS特殊ニップル S-NPL
形状		 ※SUS304
25 H	1,620	12,400
40 H	1,620	19,800
50 H	1,890	27,300
65 H	2,190	37,300
75 H	2,500	49,800
100 H	3,650	74,700
125 H	5,250	-

接着剤 FBA-02		ガラステープ GT	
 セット同梱品 ・触媒 ・促進剤 ・充填剤		 (Cガラス)	
1kgセット	4,700	50W×150m	23,100
5kgセット	20,300	75W×150m	28,900
15kgセット	49,900	100W×150m	34,700
-	-	160W×150m	52,000
-	-	-	-

注記

- 1) パイプは定尺3mです。
- 2) 消費税は含んでおりません。

テーパカッター（リース品） 1日当り				継手用保温材
手動		電動		
		 50～125A 100～200A (100V) 200～350A (200V)		
25～50A用	970	50～125A	5,400	
50～100A用	1,210	100～200A	5,600	別途お問い合わせ下さい。
100～150A用	1,520	200～350A	6,600	
150～200A用	2,550	-	-	
200～250A用	3,010	-	-	

賃貸借条件

- 1) ご返却後に清算となります。※施工後速やかにご返却下さい。
- 2) 発送・ご返却時の運賃はご利用者負担となります。

温泉用フジパイプ #7000(異型管) 価格表(設計積算価格)

富士化工株式会社 2024年8月1日改定rev.0

異型T字管(RT)						レジューサー(RE)							
													
呼 径		T字管 RT	呼 径		T字管 RT	呼 径		レジューサー RE					
		Hタイプ°			Hタイプ°			Hタイプ°					
40	×	25	150	×	25	40	×	25	8,600				
50	×	25		40	41,400	50	×	25	9,000				
		40		13,500	50			41,500	40	9,000			
65	×	25		65	44,400	65	×	25	9,600				
		40		14,200	75			51,000	40	9,600			
		50		16,000	100			56,900	50	9,900			
75	×	25	125	64,300	75	×	40	10,300					
		40	14,900	25			69,800	50	10,300				
		50	16,500	40			71,700	65	10,500				
		65	21,300	50			71,700	40	12,400				
100	×	25	200	×	65	71,700	100	×	50	12,800			
		40			21,500	75			71,700	65	13,800		
		50			21,800	100			82,800	75	15,300		
		65			23,300	125			96,000	125	×	50	19,700
		75			27,600	150			111,000			65	16,200
125	×	25	250	×	25	108,000	150	×	75	17,700			
		40			108,000	100			17,100	65	32,100		
		50			108,000	50			108,000	75	33,100		
		65			108,000	65	108,000		100	24,900			
		75			108,000	75	108,000		125	19,800			
		100			121,000	100	121,000		200	×	100	56,700	
125	140,000	125			140,000	125	61,000						
150	154,000	150			154,000	150	51,200						
		200			184,000	250	×	100	76,200				
								125	78,300				
								150	96,000				
								200	79,600				

1. 消費税は含んでおりません。

1. 消費税は含んでおりません。

温泉用フジパイプ #7100 価格表(設計積算価格)

富士化工株式会社 2024年8月1日改定rev.0

単位：円

品 種	保温パイプ		パイプ P	ソケット TS	コアリング CR	ソケット付フランジ SF	バンド 90°	22.5° 45°	T字管 T	ニップル NPL	ブラインドフランジ BF	10°TS 5°TS	SUSフランジ JIS10K SUS304
	二重保温管	耐熱スチロール30mm ()は40mm厚 耐熱スチロール+ 防水材+外装材											
形状	 ウレタン発泡 + PE外筒管	 耐熱スチロール+ 防水材+外装材											
25 H	-	54,300 (61,100)	20,100	1,520	2,130	10,500	9,000	5,500	12,000	1,560	11,300	3,780	6,250
40 H	48,300	61,100 (64,100)	23,100	1,710	2,640	11,300	10,700	7,500	15,300	1,590	12,400	4,200	7,800
50 H	54,000	63,500 (67,400)	26,100	1,710	2,760	12,100	12,100	8,400	19,500	1,800	13,500	4,300	8,500
65 H	59,500	66,100 (70,200)	28,200	1,970	2,810	14,200	13,800	10,800	23,600	2,120	15,500	4,900	12,100
75 H	65,400	69,600 (96,100)	29,900	2,540	4,500	16,000	17,300	13,400	31,300	2,400	17,600	6,500	13,400
100 H	85,200	103,300 (109,700)	42,300	5,000	4,600	19,400	24,700	17,700	40,500	3,480	21,300	12,400	16,300
125 H	124,400	123,900 (138,900)	61,700	7,800	7,100	24,700	30,900	36,900	64,100	5,000	27,000	19,100	22,500
150 H	157,400	157,000 (172,200)	88,700	11,700	9,600	31,500	42,200	45,600	74,800	7,200	31,300	28,500	27,800
200 H	223,000	216,300 (261,800)	133,000	19,400	14,100	41,400	106,000	75,300	171,000	14,200	41,400	48,600	34,800
250 H	-	-	199,000	33,300	25,800	56,500	152,000	99,900	205,000	22,800	61,000	83,000	51,000

品 種	接着剤 FBA-30		ガラステープ GT	
形状	 セット同梱品 ・触媒 ・促進剤 ・充填剤		 (Cガラス)	
	1kgセット	5,800	50W×150m	23,100
	5kgセット	24,700	75W×150m	28,900
	15kgセット	61,000	100W×150m	34,700
	-	-	160W×150m	52,000
	-	-	-	-

注記

- 1) パイプは定尺3mです。
- 2) 消費税は含んでおりません。

テーパーカッター（リース品） 1日当り				継手用保温材
手動		電動		
		 50～125A 100～200A (100V) 200～350A (200V)		 別途お問い合わせ下さい。
25～50A用	970	50～125A	5,400	
50～100A用	1,210	100～200A	5,600	
100～150A用	1,520	200～350A	6,600	
150～200A用	2,550	-	-	
200～250A用	3,010	-	-	

賃貸借条件

- 1) ご返却後に清算となります。※施工後速やかにご返却下さい。
- 2) 発送・ご返却時の運賃はご利用者負担となります。

異型T字管(RT)						レジューサー(RE)			
									
呼 径		T字管 RT	呼 径		T字管 RT	呼 径		レジューサー RE	
		Hタイプ°			Hタイプ°			Hタイプ°	
40 ×	25	14,200	150 ×	25	49,200	40 ×	25	10,500	
50 ×	25	14,400		40	49,600	50 ×	25	11,000	
	40	16,000		50	49,900		40	10,800	
65 ×	25	15,500		65	53,600	65 ×	25	11,700	
	40	17,000		75	61,000		40	11,300	
	50	19,200		100	68,100		50	11,800	
75 ×	25	16,200	125	77,400	75 ×	40	12,300		
	40	18,000	25	83,700		50	12,300		
	50	19,700	40	86,300		65	12,400		
	65	25,400	50	86,300	100 ×	40	14,900		
100 ×	25	25,200	65	86,300		50	15,300		
	40	25,800	75	86,300		65	16,300		
	50	26,100	100	99,300	75	18,300			
	65	28,100	125	114,000	125 ×	50	23,600		
75	33,300	150	133,000	65		19,500			
125 ×	25	36,000	25	130,000		75	21,300		
	40	38,000	40	130,000	100	20,700			
	50	42,000	50	130,000	150 ×	65	38,600		
	65	51,000	65	130,000		75	39,700		
	75	57,500	75	130,000		100	29,900		
	100	62,500	100	144,000		125	24,000		
			125	169,000	200 ×	100	68,000		
			150	183,000		125	73,300		
			200	222,000		150	61,400		
					250 ×	100	91,600		
						125	94,200		
						150	114,000		
						200	95,700		

1. 消費税は含んでおりません。

1. 消費税は含んでおりません。

温泉用フジFWパイプ 価格表(設計積算価格)

富士化工株式会社 2024年8月1日改定rev.0

単位：円

呼 径	保温付パイプ		パイプ P 定尺3m  ()は6m	ソケット TS 	コアリング CR 	ソケット付フランジ SF 	バンド 90°  ※350以上はマイター	45°マイター 45° 	22.5°マイター 22.5° 	チーズ T  ※350以上はマイター	ニップル NPL 
	二重保温管 定尺3m 	30mmスチロール 定尺3m 									
	ウレタン発泡 +PE外筒管	スチロール+防水材 +外装材									
25	-	52,000	19,700	1,730	2,360	6,500	8,900	5,250	5,250	13,400	1,420
40	46,800	56,300	21,300	2,080	2,890	7,600	10,300	6,100	6,100	17,600	1,650
50	48,900	56,700	20,500 (40,700)	2,600	3,070	7,900	11,000	7,400	7,400	24,700	1,730
65	54,100	63,100	22,600 (44,800)	3,070	3,380	9,800	12,800	9,700	9,700	30,100	1,960
75	63,300	71,900	27,300 (54,600)	3,520	5,250	11,200	14,700	11,600	11,600	33,800	2,650
100	75,100	100,600	31,500 (63,000)	4,300	9,500	13,900	17,900	12,900	12,900	39,700	3,200
125	107,300	121,500	44,300 (89,300)	6,800	10,700	19,200	22,400	21,800	21,800	51,100	4,800
150	121,700	143,500	52,200 (104,000)	9,100	13,100	21,500	33,400	27,100	27,100	62,800	6,700
200	172,600	196,100	81,000 (161,000)	17,300	19,600	32,200	55,700	43,800	42,500	90,000	11,600
250	-	230,000	113,000 (223,000)	29,400	36,800	48,300	84,000	62,200	60,000	126,000	17,500

品種	SUSフランジ JIS10K	接着剤 FBA-02		ガラステープ GT	
形状	 SUS304	 セット同梱品 ・触媒 ・促進剤 ・充填剤		 (Cガラス)	
25	6,250	1kgセット	4,700	50W×150m	23,100
40	7,800	5kgセット	20,300	75W×150m	28,900
50	8,500	15kgセット	49,900	100W×150m	34,700
65	12,100	-	-	160W×150m	52,000
75	13,400	-	-	-	-
100	16,300	注記 1) パイプの定尺は3mです。※価格は全てHタイプとなります。 2) 消費税は含んでおりません。			
125	22,500				
150	27,800				
200	34,800				
250	51,000				

温泉用フジFWパイプ(異型管) 価格表(設計積算価格)

富士化工株式会社 2024年8月1日改定rev.0

単位：円

異型T字管(RT)						レジューサー(RE)																	
																							
呼 径		異径T字管		呼 径		異径T字管		呼 径		レジューサー		呼 径		レジューサー		呼 径							
		RT				RT				RE				RE									
		H				H				H				H									
40	×	25	9,500	200	×	100	42,500	40	×	25	9,500	150	×	100	24,700								
50	×	25	10,200		×	125	51,800	50	×	25	10,700		×	125	27,000								
		40	11,800		×	150	73,500			×	40		10,800	×	65				34,700				
65	×	25	11,000	250	×	125	63,000	65	×	25	11,300	200	×	75	36,500								
		40	12,100			×	150			83,500	×			40	11,300	×	100	37,600					
		50	13,900			×	200			107,000	×			50	11,800	×	125	40,400					
75	×	25	11,800				75	×	40	12,300	×			150	43,400								
		40	13,300						×	50	12,800			×	65							53,600	
		50	14,900						×	65	13,100	×	75	55,700									
		65	18,700						×	100	14,200	×	100	57,200									
100	×	25	13,900					100	×	50	14,900	250	×	125	60,000								
		40	15,400							×	65			15,800	×				150	63,000			
		50	16,500							×	75			17,600	×				200	69,000			
		65	20,000																				
		75	23,300																				
125	×	50	23,300					125	×	40	17,500												
		65	28,000							×	50								18,600	×	65	19,400	
		75	31,500							×	75								20,800	×	100	21,200	
		100	34,700							×	40								21,500	×	150	21,700	
150	×	75	33,400					150	×	50	21,700												
		100	36,500							×	65								23,100				
		125	43,400							×	75								24,400				

1. 消費税は含んでおりません。

温泉用フジPPパイプ 価格表 (設計積算価格)

富士化工株式会社 2024年8月1日rev.0

単位: 円

品 種	パイプ (定尺4m)		ソケット		90°エルボ		90°ベンド		45°ベンド			22.5°ベンド		チーズ		コアリング付短管		
	温泉用フジPPパイプ	分湯用保温付パイプ																
形 状																		
接 合	電気融着		スリーブ溶着		スリーブ溶着	電気融着	スリーブ溶着	電気融着	電気融着	全対応	電気融着	電気融着	全対応	電気融着	スリーブ溶着	電気融着	全対応	
呼 径	PP管	強化PP管	PP管	強化PP管	WS	EFS	ELB	EFL	スムーズ	マイター	EF-45	スムーズ	マイター	スムーズ	マイター	TEE	T	CRP
16	-	-	23,700	-	300	-	280	-	1,670	-	-	1,600	-	1,600	-	340	-	3,060
20	-	-	24,500	-	390	-	360	-	1,690	-	-	1,670	-	1,670	-	460	-	3,130
25	-	-	32,100	-	540	-	570	-	1,770	-	-	1,770	-	1,770	-	750	-	3,700
40	18,000	20,400	別途問い合わせ	-	1,100	5,000	1,160	12,600	3,620	-	11,800	3,160	-	3,160	-	1,460	2,700	4,600
50	22,500	27,200		-	1,330	5,800	1,640	14,600	5,600	-	12,100	5,000	-	5,000	-	2,310	3,910	5,400
65	29,300	34,700		-	1,740	6,500	2,360	17,600	8,700	-	13,800	7,500	-	7,500	-	-	5,600	6,800
75	36,500	45,400		-	1,970	7,100	3,570	21,000	15,400	-	15,600	13,100	-	13,100	-	-	7,500	8,000
100	50,800	64,500		-	3,060	7,900	6,700	28,500	24,700	-	19,200	23,600	-	23,600	-	-	10,000	10,000
125	58,200	-		-	-	12,300	-	-	-	21,300	-	-	12,600	-	10,300	-	14,900	12,300
150	81,000	-		-	-	14,100	-	-	-	26,100	-	-	18,500	-	14,900	-	24,200	15,400
200	126,100	-		-	-	19,200	-	-	-	43,900	-	-	27,000	-	23,600	-	41,400	20,100

※PP管: フジ・ポリレン-PPパイプ 強化PP管: フジGRPパイプ

品 種	CRP用 鉄フランジ	バルブソケット	品 種	径違いチーズ				レジューサー			
形 状			形 状	 16~25A スリーブ溶着 40~200A 電気融着				形 状			
接 合	全対応	スリーブ溶着	接 合	全対応				接 合	スリーブ溶着	電気融着	
呼 径	IF (SUS304)	VS	呼 径	T	呼 径	T	呼 径	RE	呼 径	REP	
16	10,400	230	20×16	1,640	75×50	4,800	20×16	590	50×40	12,100	
20	12,200	440	25×16	1,770	75×65	6,100	25×16	1,260	65×50	14,100	
25	13,900	570	25×20	1,970	100×16	6,400	25×20	690	75×50	15,600	
40	15,500	980	40×16	2,130	100×20	6,700	40×20	1,670	75×65	15,600	
50	17,200	1,280	40×20	2,180	100×25	6,800	40×25	1,280	100×50	23,600	
65	21,800	-	40×25	2,260	100×40	7,400	50×25	1,720	100×75	22,600	
75	23,600	-	50×16	2,470	100×50	7,600	50×40	1,560	125×75	31,100	
100	25,400	-	50×20	2,490	100×65	8,300	65×50	2,720	125×100	30,600	
125	48,400	-	50×25	2,610	100×75	8,800	75×40	4,300	150×75	42,800	
150	52,400	-	50×40	3,260	125×75	11,300	75×50	4,200	150×100	39,300	
200	56,500	-	65×40	3,820	125×100	13,100	75×65	3,550	150×125	35,200	
			65×50	4,100	150×100	17,400	100×50	5,600	200×100	60,000	
			75×16	3,910	150×125	20,100	100×75	4,400	200×125	54,400	
			75×20	3,980	200×125	31,800			200×150	48,000	
			75×25	4,050	200×150	37,000					
			75×40	4,200							

【特記】

- 消費税は別途申し受けます。
- 記載の無い品種・呼径についてご要望の場合は、別途ご相談ください。
- ハンディウェルダのリースは取り扱っておりません。


品 種	ハンディウェルダ		リース品			
	16～50A	16～100A	固定治具		電気融着コントローラー	
形 状						
本体価格	171,000	320,000	呼 径	1日	呼 径	1日
呼 径	ヒーターフェイス					
16	24,200		40～		40～	
20	29,800		100A	1,280	200A	3,850
25	32,300		共通		共通	
40	40,800		【リース品について】 1.出荷、返却の運賃はお客様ご負担となります。 2.リース期間は出荷日～返却日までとします。 3.ご不明な点は、弊社営業所までご連絡下さい。			
50	47,500					
65	57,500					
75	63,000					
100	81,400					

継手用保温材



別途お問い合わせ下さい

フジFW揚湯管 価格表（設計積算価格）



懸垂荷重： MAX.1,030kg

深さ： MAX.300m

※懸垂荷重
ポンプとケーブルのTOTAL重量


タイプ°	呼 径	使用温度 (℃)	寸法					価格 (円/本)
			L (mm)	d (mm)	t (mm)	Ls (mm)	Ds (mm)	
A-80	50	0～80	6,000	50	4.5	130	73.5	123,000
	65			65	5.0	160	89.5	144,000
B-80	50			50	7.0	166	82.5	145,000
	65			65	7.5	233	100.5	171,000
A-60	50	0～60	6,000	50	4.5	130	73.5	78,400
	65			65	5.0	160	89.5	93,100
B-60	50			50	7.0	166	82.5	92,900
	65			65	7.5	233	100.5	111,000

1.消費税は別途申し受けます。


2.小口便での輸送はできません。

フジFW揚湯管用 上下接続部品 価格表（設計積算価格）

【上部ヘッド取合金具】



【下部水中ポンプ取合金具】



品 名	呼 径	タイプ	寸 法							価 格 (円/個)
			A (mm)	d (mm)	D (mm)	D1 (mm)	D2 (mm)	L (mm)	ガスネジ PT(in)	
上部ヘッド 取合金具	50	Aタイプ	50	64.1	73	62	59	190	2	111,000
		Bタイプ		69.1						111,000
	65	Aタイプ	65	81.1	90	78	74.12	210	2 1/2	126,000
		Bタイプ		86.1						126,000
下部水中 ポンプ 取合金具	50	Aタイプ	50	61	81	62	59	190	2	117,000
		Bタイプ		66	88					123,000
	65	Aタイプ	65	77	98	78	74.12	210	2 1/2	131,000
		Bタイプ		82	106					141,000

1.消費税は別途申し受けます。

※フランジでの取合い等については、別途ご相談下さい。

材質：SUS304